



Green-Synthesized AgNPs for Bacterial Efficacy and Sustainable Development Goals

Article Type: Research Article	Authors: Rahul Singh ¹ , Susan Verghese P. ^{2*} and Akanksha Bansal ³
Article publication history: Received on: 07-11-2025 Accepted on: 21-12-2025 Published on: 30-12-2025	Affiliation: ¹ Department of Chemistry, St. John's College (SJC), Dr. B. R. Ambedkar University, Agra, India. ² Department of Chemistry, SJC, Dr. B. R. Ambedkar University, Agra, India. ³ Department of Chemistry, SJC, Agra, India.
Article review details: 1 st Reviewer : Dr. Seema Jain 2 nd Reviewer : Dr. K. S. Srivastava Final Recommendation By: Prof. Jay Mehra	DOI: https://dx.doi.org/10.65979/ujc.8.4.08 *Corresponding E-mail: drsusanverghesep@gmail.com & rahulsinghibs06@gmail.com

Abstract

A green synthesis technique, which is economical and environmentally sustainable, was used to synthesize AgNPs, and several methods were employed to characterize the nanoparticles, such as UV-Vis spectroscopy, SEM, TEM, and FTIR. The produced AgNPs demonstrated noteworthy antibacterial and antifungal attributes. Unique absorption peaks were observed in the UV-Vis spectra, indicating successful AgNP synthesis. According to SEM and TEM examinations, the nanoparticles had a steady average size of 48nm and were spherical. When the antibacterial activity was tested against several bacterial strains, it showed significant inhibitory effects. This research underscores the potential of AgNPs in various applications, including medical devices, environmental remediation, and consumer products, to combat antibiotic resistance and infection control for good health and well-being, as outlined in Sustainable Development Goal 3 (SDG3). AgNPs can act as efficient catalysts for various chemical reactions, including organic synthesis, environmental remediation, and energy storage, SDG 12 (Responsible Consumption and Production). Green-synthesized AgNPs can be used to remove pollutants from water and soil (SDG 6: Clean Water and Sanitation). This study investigates the synthesis, characterization, and utilization of silver nanoparticles (AgNPs), emphasizing environmentally sustainable production methods and providing valuable perspectives for future developments in nanomedicine and associated fields.

Keywords: AgNP synthesis methods, Characterization, Environmental remediation, Biological activity, Bacterial efficacy.

INTRODUCTION

Materials in nano-confines (1–100 nm) have remarkable differences in parcels

compared to bulk materials. These differences exist in the physical and structural parcels of particles, molecules, and bulk paraphernalia owing to differences in physicochemical parcels



and face-to-volume rates¹. With advances in nanotechnology, numerous nanomaterials with unique properties have emerged, opening new avenues for research. Metal nanoparticles, including silver, platinum, and gold, are used for various purposes^{2,3}. AgNPs have been used extensively because of their unique physical and chemical characteristics, including electrical conductivity, thermal, optical, antimicrobial, and natural properties. AgNPs are widely used in biomedical applications, such as in crack dressings, antiseptic fabrics, creams, and sprays. AgNPs affect microorganisms through membrane disruption and enzymatic inhibition. Researchers have developed nanomaterials with distinct size-controlled physicochemical features and applications⁶. AgNPs are significant for their operations in healthcare, medicine, photothermal treatments, visual operations, catalytic processes, energy transfer, solar cells, optoelectronics, and environmental applications.⁷ Biological methods are safe, provident, doable, and ecologically sound, with downsides of time consumption and lower influence on size, shape, and liquid structure⁸. Among metallic rudiments, Ag is a noble metal that is central to antibacterial research. This review emphasizes the outlook, development, antibacterial functioning & mechanism, characterization methods, factors affecting bactericidal functioning, antimicrobial relevance, and future perspectives for green nanotechnology-based AgNPs in antibacterial therapeutic applications and infection control for SDG-39.

Theoretical framework

Silver nanoparticles (AgNPs) have attracted attention from researchers because of their defense against microorganisms and drug resistance against commonly used antibiotics¹⁰. The characteristics of AgNPs have made them applicable in biomedical, drug delivery, water treatment, and agrarian fields¹¹. AgNPs are used in ink bonds, electronic devices, and pastes because of their high conductivity¹². AgNPs have been synthesized using various physicochemical methods, such as chemical reduction, gamma shaft radiation¹³, microemulsion, electrochemical system¹⁴,

laser ablation¹⁵, autoclave, microwave oven roasting, and photochemical reduction. These methods have effective yields but are limited by toxic chemicals, high costs, and energy requirements. Given these downsides, cost-effective and energy-efficient approaches for AgNP emulsions using microorganisms, plant extracts, and natural polymers as reducing and capping agents are emerging. The combination of nanotechnology and green chemistry will expand biologically and cytologically compatible metallic nanoparticles^{16,17,18}.

Phytochemicals in plant leaves, including flavonoids, alkaloids, ketones, carboxylic and ascorbic acids, tannins, amides, and phenols, drive the development of metal nanomaterials. These substances reduce metal salts to produce metal nanoparticles¹⁹ and exhibit antibacterial and antioxidant properties. Green synthesis of nanoparticles has lower toxicity and higher biocompatibility than chemical synthesis because of the longer nanomaterial half-life and increased efficiency²⁰. Although the green synthesis of silver nanoparticles has been extensively studied, particularly regarding the synthesis using bacteria and fungi, to our knowledge, there is a lack of detailed information on environmentally friendly synthesis using plant extracts or their antiviral, antifungal, antimicrobial, and anticancer qualities²¹.

The plant species used for the eco-friendly synthesis of AgNPs are listed in Table 1. Field emission scanning electron microscopy (FESEM), transmission electron microscopy (TEM), and X-ray diffraction (XRD) are common methods for confirming nanoparticle formation and examining their shape, size, and surface area. The diameters of the reported particle sizes ranged from 5 to 100 nm, except for one. Their shapes included spherical, face-centered cubic (FCC), quasi-spherical, and occasionally truncated or rod-like forms. Nanoparticles exhibit biological and catalytic actions, such as antibacterial, antioxidant, anticancer, and photocatalytic effects, in addition to structural characterization. This indicates that Ag nanoparticles can be widely used in biomedical and environmental fields.

Table 1: Silver nanoparticles, their characterization, and applications

Sr. No	Metal nanoparticles	Reducing agent or extract	Characterization	Particle characteristic	Applications	Author	References
1	AgNPs	Sambucusebulus	FTIR, UV-Vis XRD HPLC	Size 18.6nm Shape-FCC	Antioxidant & antibacterial activity	Karan T. <i>et al.</i> , (2024)	[22]
2	AgNPs	Rubus discolor leave	UV- Vis, TEM FTIR EDX	Size-37 nm Shape- predominantly spherical	Antibacterial activity against <i>Escherichia coli</i> and <i>Pseudomonas aeruginosa</i>	Ghasemi S. <i>et al.</i> , (2024)	[23]
3	AgNPs	Ocimumtenuiflorum and <i>Azadirachtaindica</i>	UV- Vis XRD	Shape- FCC Size- 21 nm	<i>S.aureus</i> , <i>E. coli</i> , <i>P.aeruginosa</i>	Reen G. K., <i>et al.</i> , (2024)	[24]
4	AgNPs	<i>Syzygiumaromaticum</i> and <i>Terminaliabellirica</i>	UV-Vis,		Against <i>Enterococcus</i>	Chandran N. <i>et al.</i> , (2024)	[25]
5	AgNPs		UV- Vis, FTIR, XRD, FESEM	Size- 44.5 nm Shape-FCC	Antimalarial activity	Singh S. <i>et al.</i> , (2024)	[26]
6	AgNPs	<i>Pimpinellaanisum</i> aqueous seed extract	UV- Vis FTIR	Shape- spherical Size- 20.18nm, 21.00nm, 40.08nm	Antibacterial against a strain of <i>Escherichia coli</i>	Barabadi H. <i>et al.</i> , (2023)	[27]
7	AgNPs	<i>Moringaoleigera</i> leaf extract	UV- Vis, FTIR, TEM	Size - 24 - 40 nm	antibacterial <i>Staphylococcus aureus</i> ATCC6538 and <i>pseudomonas aeruginosa</i> ATCC9027	Shaaban T. M. <i>et al.</i> , (2023)	[28]
8	Ag	NPs	Equisetum diffusum extract	UV- Vis FTIR, DLS, SEM EDX	Size- 62.6 nm Antibacterial	Jabbar A. <i>et al.</i> , (2023)	[29]
9	AuNPs	<i>Gelidiellaerosa</i>	UV-Vis FTIR	Size- 5-20 nm Shape- Spherical	<i>L.monocytogenes</i> and <i>E.coli</i> Antibiotic against <i>Staphylococcus aureus</i> and <i>G. acerosa</i>	Subbulakshmi A. <i>et al.</i> , (2023)	[30]
10	AgNPs	Green tea leaf extracts	UV- Vis, FTIR	Size- 30 - 150 nm Shape-quasi-spherical	High killing ability for bacteria (<i>E. Coli</i>)	Parvathalu K., <i>et al.</i> , (2023)	[31]
11	AgNPs	<i>Eucalyptus camaldulensis</i> and <i>Terminaliaajuna</i> extracts	UV- Vis, SPR, SEM, FTIR	Size- 23nm, 13 nm, 42 nm	<i>Bacillus subtilis</i> , <i>Staphylococcus aureus</i> , <i>Pasteurellamutocida</i>	Liaqat N. <i>et al.</i> , (2022)	[32]
12	AgNPs	<i>Tridaxprocumbens</i> plant extracts	TEM, Zeta potential FTIR, HRLC- MS HPLC	Size- 23.17 nm Shape- FCC	Against <i>Anticancer Escherichia coli</i> , <i>Shigella spp.</i> , <i>Aeromonas spp.</i>	Pungle R. <i>et al.</i> , (2022)	[33]
13	AgNPs	<i>ConocarpusLancifolius</i> fruit extracts	UV- Vis, FTIR, XRD	Size- 22.5 nm, Shape - spherical	Anticancer and Antibacterial	Oves M. <i>et al.</i> , (2022)	[34]
14	AgNPs	<i>Syzygiumcumini</i> fruit extract	UV- Vis, FTIR, XRD, SEM	Size- 47 nm Shape- FCC	<i>Streptococcus p.</i> , <i>S. Aureus</i> . Inhibit free radical orientation	Chakravarty A. <i>et al.</i> , (2022)	[35]
15	AgNPs	<i>Cassia tora</i> seed extracts	UV- Vis, FTIR, SEM, XRD	Size- 55.80 nm, 58 nm, 61.06 nm, 63.26 nm, 64.80 nm	diseases, (<i>G +ve</i> & <i>G -ve</i>) bacteria	Nawabjohn M. S. <i>et al.</i> , (2022)	[36]
16	AgNPs	East extract, malt extract	UV- Vis, FTIR, TEM, XRD	Size- 13.2 nm Shape - spherical	Antibacterial efficacy against <i>S. aureus</i> , <i>Antibacterial & cancer activity</i> against (<i>MCP</i>) <i>Escherichia coli</i> , <i>Klebsiella pneumoniae</i>	Wypji M. <i>et al.</i> , (2021)	[37]
17	AgNPs	Cucumber leaf and rice husk extract	—	—	Compared study between <i>g-AgNPs</i> & Chem. AgNPs Strong antibacterial activity <i>Escherichia coli</i>	Zhang H. <i>et al.</i> , (2021)	[38]

18	AgNPs	Areca catechu extract	UV- Vis, SEM, DLS, FTIR	Size – 25 nm Shape-spherical (round)	Against antibiotic-resistant bacteria	Choi S. J. <i>et al.</i> , (2021)	[39]
19	AgNPs	Berberis vulgaris B. nigra, Capsella bursa-pastoris, L. angustifolia plant extract Grapefruit peel extract	UV- Vis, FTIR, TEM, XRD, PCCS	Size- 46.1 nm Shape-spherical, truncated octahedron	Antibacterial activity L.monocytogenes (gram +ve)	Salayova A. <i>et al.</i> , (2021)	[40]
20.	AgNPs	Grapefruit peel extract	UV- Vis, FTIR	Size – 13.56 nm	Staphylococcus A., Enterococcus faecalis & S. aureus	Arsene M.M.J. <i>et al.</i> , (2021)	[41]
21	AgNPs	Onion (O), Tomato (T), Acacia catechu (C) alone, and Mixed COT extracts	UV- Vis, FTIR, TEM, XRD, DLS	Size – 25 nm Shape-FCC	Phytocatalytic Deradation of methyl orange (MO), methyl red (MR), & Congo red (CO)	Chand K. <i>et al.</i> , (2020)	[42]
22	AgNPs	Brilliantaisiapatula, Cross opreryxfebrifuga, and Sennasiamea leaf extract OcimumCanum Sims leaf extract	UV- Vis, FTIR, XRD, TEM	Size- 17 nm Shape- spherical	(G +ve and G – ve Bact.) Staphylococcus A., Escherichia coli & Pseudomonas A.	Kambale K. E. <i>et al.</i> , (2020)	[43]
23	AgNPs	flower extract of Aervalanata	UV- Vis, FTIR, AFM, SEM, TEM	XRD, SEM	Size – 15.72 nm Shape- spherical and rod shape	Escherichia coli	[44]
24	AgNPs	Gymnemasyvestre leaf extract	UV- Vis, FTIR, XRD, TEM,		Bacterial activity against Klebsiellaplanticola	Tailor G. <i>et al.</i> , (2020)	[45]
25	AgNPs				Size – 20 nm & 30 nm Shape – FCC	Kanniah P. <i>et al.</i> , (2020)	[46]
						Escherichia coli Rajkumar P. V. <i>et al.</i> , (2020)	

Synthesis methods for nanoparticles

Top-Down and Bottom-Up Methods:

The synthesis of nanoparticles through biological systems is not only advantageous but also imperative for advancing sustainable technology. This method offers unparalleled benefits, including high-yield production, scalability, non-toxicity, and precise morphologies. It is crucial to pioneer novel methods for nanoparticle production, and green synthesis techniques are at the forefront of this innovation. These techniques are not only straightforward and safe but also environmentally friendly, making them indispensable in modern science⁴⁷. Saratale *et al.*, have meticulously reviewed various green nanoparticle synthesis techniques, highlighting their transformative applications in agriculture and biomedicine⁴⁸. The synthesis of green nanoparticles employs two distinct approaches: top-down and bottom-up approaches. The top-down approach involves mechanical methods to form larger nanoparticles, whereas the bottom-up approach, which is synonymous with green synthesis, utilizes acids to reduce the particle size. It is essential to integrate the bottom-up method with complex analysis when employing the top-down approach to maximize efficiency and effectiveness⁴⁹. Embracing these green synthesis methods is not just a choice but a necessity for a sustainable future.




Fig. 1. Top-down and bottom-up synthesis⁴⁹

Green synthesis

Embracing the future of sustainable technology involves the environmentally friendly synthesis of AgNPs. By utilizing a solution of silver metal ions and an organic reducing agent, nanoparticle production can be revolutionized without the need for external stabilizing and capping agents. Remarkably, the natural components found in plants, such as flavonoids, alkaloids, ketones, aldehydes, amides, and ascorbic acid, serve as effective agents, making the process not only

efficient but also eco-friendly. The synthesis of AgNPs is not just a possibility; it is a reality that harnesses the power of nature⁵⁰.

The cornerstone of this innovative synthesis is Ag⁺ ions, which are readily available in various water-soluble silver salts. Among these, the aqueous AgNO₃ solution stands out, with an optimal Ag⁺ ion concentration range of 0.1–10nm, most commonly at 1nm. This precise concentration ensured the successful development of AgNPs, paving the way for advancements in nanotechnology. By adopting this method, researchers can lead the charge in creating a sustainable future, demonstrating that cutting-edge technology and environmental responsibility can go hand in hand⁵¹.

AgNP synthesis using plant extract

The green synthesis of AgNPs using plant extracts is not just an advancement in nanotechnology; it is a revolutionary leap forward, offering a sustainable and eco-friendly alternative to traditional methods of synthesis. Harnessing the power of various plant extracts from leaves, flowers, bark, roots, and stems, especially from medicinal plants like *Azadirachta indica*⁵¹, *Aloe vera*⁵², *Ocimum tenuiflorum*⁵³, *Emblica officinalis*⁵⁴, *Tinospora cordifolia*⁵⁵, *Cocos nucifera*⁵⁶, and common spices such as *piper nigrum*⁵⁷, serves as a potent and natural solution. These plant components underwent a meticulous cleaning process, first with tap water and then with distilled water, to ensure their absolute purity. After drying, they were either ground into a fine powder or used directly to create extracts with varying pH values, while enhancing the stability of AgNPs, with protein metabolites and chlorophyll acting as effective agents⁵⁸. The efficiency of this process is undeniable, as evidenced by the synthesis of spherical AgNPs averaging 20nm in a mere 40min using 60 mL of plant leaf extract and 10 mL of AgNO₃ at 60°C. Prathinha *et al.*,⁵⁹ further substantiated this method by successfully synthesizing AgNPs using *Azadirachta indica* and *Ocimum tenuiflorum* green extracts. The striking visual transformation from green to dark brown is a definitive indicator of successful AgNP formation (Fig. 2). Importantly, higher concentrations of plant extracts significantly accelerate the synthesis rates 25, while factors such as pH, temperature, optical activity, and AgNO₃ concentration are crucial for optimizing production. The precise collection of AgNPs for characterization

was ensured by centrifuging the silver nitrate and plant solutions²⁴. Neem and *Ocimum tenuiflorum* extracts have been extensively studied, with neem plants exhibiting extraordinary antibacterial and antifungal properties, offering promising applications in bacterial treatment, as illustrated in Fig. 3. This innovative approach to AgNP synthesis champions environmental sustainability and holds immense potential for propelling medical and technological advancements^{60,62}.





Fig. 2. Tulsi extract explanation setup during AgNP formation⁵⁹

This groundbreaking approach not only underscores the remarkable versatility of plant materials but also highlights their pivotal role in advancing nanotechnology. The evidence is clear: plant-based synthesis of AgNPs is not just a possibility but a revolutionary step forward in the field⁶³.

Antimicrobial properties of the produced agnps Well Diffusion Assay

The antibacterial efficacy of AgNPs was rigorously evaluated using the agar well diffusion assay, a method that leaves no room for doubt. The results, measured by inhibition zones (mm) in 6 mm wells on Muller-Hinton agar, were nothing short of compelling. The particles, serially diluted 2-fold from 360 $\mu\text{L/mL}$ to 11.25 $\mu\text{L/mL}$ ⁶⁴, demonstrated a formidable antibacterial effect. *E. faecalis*, a notorious *Gram-positive* cocci bacterium, leading cause of enterococcal infections in humans and a prevalent pathogen in hospitals, often found in the urinary tract, bloodstream, and surgical sites. The positive control, vancomycin, exhibited its well-documented antibacterial action against *E. faecalis*, with an impressive inhibition zone of 27.0 ± 0.0 mm. However, the challenge of vancomycin-resistant enterococci (VRE)⁶⁵, a global threat, remains unyielding, as no inhibition zone was observed for either VRE or *E. faecalis* strains. The AgNPs data, as illustrated in Fig. 3, reveal a strain with sustained

release, greater stability, tensile strength, nanoscale porosity, flexibility, and dominant antimicrobial efficacy against both *Gram-negative* and *Gram-positive* strains.



Applications of green synthesized silver nanoparticles for health and well-being, SDG 3

Green-synthesized AgNPs have gained attention owing to their unique properties and applications across fields. Their environmentally friendly synthesis using biological agents offers advantages over traditional chemical methods of synthesis. AgNPs exhibit antimicrobial properties against bacteria, fungi, and viruses, making them promising candidates for use in wound dressings, medical devices, and water purification^{69,79}. Green-synthesized AgNPs have applications in drug delivery, biosensing, and cancer therapy, enabling targeted drug delivery and cancer cell apoptosis⁷⁰.

SDG 12 Catalysis: AgNPs are efficient catalysts in chemical reactions, including organic synthesis and environmental remediation. Their surface area and electronic properties enhance their catalytic activity^{71,78}.

SDG 6, Environmental Remediation: Green-synthesized AgNPs remove pollutants from water and soil by adsorbing heavy metals and organic contaminants^{72,73,76,77}.

Textile Industry: AgNPs incorporated into textiles provide antimicrobial properties, odor resistance, and UV protection, improving fabric hygiene and durability^{74,75}.

Future prospects of green synthesized silver nano-particles

Green-synthesized AgNPs represent a groundbreaking advancement with transformative potential in multiple industries, including personalized medicine, sustainable agriculture, and environmental remediation. These nanoparticles are not just an option; they are a necessity for achieving SDG-3 by promoting the good health and well-being of the population. In personalized medicine and tissue engineering, AgNPs offer unparalleled opportunities for innovation and improvements. As sustainable alternatives to chemical pesticides, they promise to revolutionize agriculture and ensure food security while protecting the planet. Moreover, their application in air purification systems

and smart textiles for healthcare monitoring is expected to redefine industry standards. However, to fully harness these benefits, it is imperative to establish standardized protocols for their synthesis, application, and disposal. This will ensure safety and minimize environmental impacts. Furthermore, rigorous research on the long-term effects of AgNPs on human health and the environment is essential to determine safe usage levels. The time to act is now; embracing AgNPs is not just a choice but a strategic imperative for a sustainable future.

CONCLUSION

Characterization of green-synthesized AgNPs is imperative to unlock their potential in biomedical applications. Techniques such as SEM, TEM, UV-visible spectroscopy, FTIR, XRD, dynamic light scattering (DLS), and zeta potential measurements provide insights into the size, shape, morphology, and surface charge of these nanoparticles. The spectral shifts and morphological transformations from spherical to prismatic structures indicate changes in particle size and aggregation, which influence their functional properties, including drug release behavior and biodistribution. Advanced techniques such as atomic force microscopy (AFM), high-performance liquid chromatography (HPLC), and zeta potential measurements for antibacterial characterization highlight the role of surface charge in AgNP-biological interactions. Smaller particle sizes and optimal surface charges enhance AgNP efficacy by improving their interactions with bioactive compounds and refining their distribution. Therefore, a comprehensive characterization of AgNPs is essential for optimizing their application in antimicrobial treatments and ensuring their stability in biomedical contexts.

ACKNOWLEDGMENT

I express my deep sense of gratitude to my principal, Professor S. P. Singh. St. John's College, Dr. Bhimrao Ambedkar University, Agra, for their encouragement and constant help during the study period.

REFERENCES

1. Vijayaram, S.; Razafindralambo, H.; Sun, Y.Z.; Vasantharaj, S.; Ghafarifarsani, H.; Hoseinifar, S. H., & Raeeszadeh, M., Applications of green-synthesized metal nanoparticles: A Review. *Biological Trace Element Research*, **2024**, *202*(1), 360-386

2. Ranjan, S.; Dasgupta, N.; Chakraborty, A. R.; Melvin Samuel, S.; Ramalingam, C.; Shanker, R., & Kumar, A. Nanoscience and nanotechnology in food industries: opportunities and research trends., *Journal of nanoparticle research.*, **2014**, *16*, 1-23.
3. Iravani, S.; Korbekandi, H.; Mirmohammadi, S. V., & Zolfaghari, B., Synthesis of silver nanoparticles: chemical, physical & biological methods., *Research in Pharmaceutical Sciences.*, **2014**, *9*(6), 385-406.
4. Pawar, A. A.; Sahoo, J.; Verma, A.; Alswieleh, A. M.; Lodh, A.; Raut, R., & Islam, M. R., Azadirachtaindica Derived Silver Nanoparticle Synthesis and Its Antimicrobial Applications., *Journal of Nanomaterials.*, **2022**, *2022*(1), 4251229.
5. Bello, B. A.; Khan, S. A.; Khan, J. A.; Syed, F. Q.; Anwar, Y., & Khan, S. B., Antiproliferation and antibacterial effect of biosynthesized AgNps from leaves extract of Guierasenegalensis and its catalytic reduction on some persistent organic pollutants., *Journal of Photochemistry and Photobiology B: Biology.*, **2017**, *175*, 99-108.
6. Asif, M.; Yasmin, R.; Asif, R.; Ambreen, A.; Mustafa, M., & Umbreen, S., Green synthesis of silver nanoparticles (AgNPs), structural characterization, and their antibacterial potential., *Dose-Response.*, **2022**, *20*(2), 15593258221088709
7. Bindhu, M. R.; Umadevi, M.; Esmail, G. A.; Al-Dhabi, N. A., & Arasu, M. V., Green synthesis and characterization of silver nanoparticles from Moringaoleifera flower and assessment of antimicrobial and sensing properties., *Journal of Photochemistry and Photobiology B: Biology.*, **2020**, *205*, 111836.
8. Vadakkan, K., & Rumjit, N. P.; Ngangbam, A. K.; Vijayanand, S., & Nedumpillil, N. K., Novel advancements in the sustainable green synthesis approach of silver nanoparticles (AgNPs) for antibacterial therapeutic applications., *Coordination Chemistry Reviews.*, **2024**, *499*, 215528.
9. Dankovich, T.A. Gray, D.G., Bactericidal Paper Impregnated with Silver Nanoparticles for Point-of-Use Water Treatment., *Environmental Science & Technology.*, **2011**, *45*, 1992-1998.
10. Nair, R.; Varghese, S.H.; Nair, B.G.; Maekawa, T.; Yoshida, Y and Sakthi Kumar, D., *Nanoparticulate Material Delivery to Plants. Plant Science.*, **2010**, *179*, 154-163.
11. Khan, Z.; Al-Thabaiti, S.A.; Obaid, A.Y.; and Al-Youbi, A.O., Preparation and Characterization of Silver Nanoparticles by Chemical Reduction Method., *Colloids and Surfaces B: Biointerfaces.*, **2011**, *82*, 513-517.
12. Zhang W.Z.; Qiao X.L.; Chen J.G., Synthesis and Characterization of Silver Nanoparticles in AOT Microemulsion System., *Chemical Physics.*, **2006**, *300*, 495-500.
13. Reicha, F.M.; Sarhan, A.; Abdel-Hamid, M.I.; and El-Sherbiny., Preparation of Silver Nanoparticles in the Presence of Chitosan by Electrochemical Method., *Carbohydrate Polymers.*, **2012**, *89*, 236-244.
14. Song, J.Y. and Kim, B.S., Rapid Biological Synthesis of Silver Nanoparticles Using Plant Leaf Extracts., *Bioprocess and Biosystems Engineering.*, **2009**, *32*, 79-84.
15. Huang, H. and Yang, X., Synthesis of Polysaccharide-Stabilized Gold and Silver Nanoparticles: A Green Method., *Carbohydrate Research.*, **2004**, *339*, 2627-2631.
16. Philip, D., Honey Mediated Green Synthesis of Silver Nanoparticles. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy.*, **2010**, *75*, 1078-1081.
17. Philip, D., Rapid Green Synthesis of Spherical Gold Nanoparticles Using MangiferaindicaLeaf. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy.*, **2010**, *77*, 807-810.
18. Bhardwaj, B.; Singh, P.; Kumar, A.; Kumar, S.; & Budhwar, V., Eco-friendly, greener synthesis of nanoparticles., *Advanced Pharmaceutical Bulletin.*, **2020**, *10*(4), 566.
19. Nadaf, S. J.; Jadhav, N. R.; Naikwadi, H. S.; Savekar, P. L.; Sapkal, I. D.; Kambli, M. M.; & Desai, I. A., Green synthesis of gold and silver nanoparticles: Updates on research, patents & prospects. *OpenNano.*, **2022**, *8*, 100076.
20. Karan, T.; Gonulalan, Z.; Erenler, R.; Kolemen, U., & Eminagaoglu, O., Green synthesis of silver nanoparticles using Sambucusebulus leaves extract: characterization, quantitative analysis of bioactive molecules, antioxidant and antibacterial activities., *Journal of Molecular Structure.*, **2024**, *1296*, 136836.

21. Ghasemi, S.; Dabirian, S.; Kariminejad, F.; Koochi, D.E.; Nemattalab, M.; Majidmoghadam, S., Process optimization for green synthesis of silver nanoparticles using *Rubus discolor* leaves extract and its biological activities against multidrug-resistant bacteria and cancer cells., *Scientific Reports.*, **2024**, *14*(1), 4130.
22. Reen, G. K.; Sharma, P., & Kumar, A., Plant Extract-Mediated Synthesis and Antibacterial Potential of Metallic Nanoparticles. In *Nanotechnology-Based Strategies for Combating Antimicrobial Resistance.*, **2024**, 117-152. Singapore: Springer Nature Singapore.
23. Chandran, N.; Ramesh, S., & Shanmugam, R., Synthesis of Silver Nanoparticles Using *Azadirachta indica* and *Syzygium aromaticum* Extract and Its Antibacterial Action Against *Enterococcus faecalis*: *An In Vitro Study.* *Cureus.*, **2024**, *16*(7).
24. Singh, S.; Arya, H.; Sahu, W.; Reddy, K. S.; Nimesh, S.; Alotaibi, B. S. & Kumar Bhatt, T., Green synthesized silver nanoparticles of *Terminalia bellirica* leaves extract: synthesis, characterization, in silico studies, and antimalarial activity., *Artificial Cells, Nanomedicine, and Biotechnology.*, **2024**, *52*(1), 238-249.
25. Barabadi, H.; Hosseini, O.; Jounaki, K.; Sadeghian-Abadi, S.; Ashouri, F.; Alrikabi, A. M. A., & Mostafavi, E., Bioinspired green-synthesized silver nanoparticles: in vitro physicochemical, antibacterial, biofilm-inhibitory, genotoxicity, antidiabetic, antioxidant, and anticoagulant performance., *Materials Advances.*, **2023**, *4*(14), 3037-3054.
26. Shaaban M. T.; Zayed M.; Salama H. S., Antibacterial potential of bacterial cellulose impregnated with green-synthesized silver nanoparticles against *S. aureus* and *P. aeruginosa*., *Current Microbiology.*, **2023**, *80*(2), 75.
27. Jabbar A.; Abbas A.; Assad N.; Naeem-ul-Hassan M.; Alhazmi H. A.; Najmi, A., & Amin, H. M., OA highly selective Hg²⁺ colorimetric sensor and antimicrobial agent based on green-synthesized Ag silver nanoparticles using *Equisetum diffusum* extract., *RSC Advances.*, **2023**, *13*(41), 28666-28675.
28. Subbulakshmi, A.; Durgadevi, S.; Anitha, S.; Govarthanan, M.; Biruntha, M.; Rameshthangam, P., Biogenic gold nanoparticles from *Gelidiella acerosa*: bactericidal and photocatalytic degradation of two commercial dyes., *Applied Nanoscience.*, **2023**, *13*(6), 4033-4042.
29. Parvathalu, K.; Kumar, D. N.; Rajitha, K.; Kishan, M. G.; Kumar, B. N.; Bhemarajam, J., & Bhaskar, P. B., Facile synthesis of silver nanoparticles using green tea leaf extract and evolution of antibacterial activity., *Plasmonics.*, **2023**, *18*(5), 1837-1845.
30. Liaqat, N.; Jahan, N.; Anwar, T., & Qureshi, H., Green synthesized silver nanoparticles: Optimization, characterization, antimicrobial activity, and cytotoxicity study by hemolysis assay., *Frontiers in Chemistry.*, **2022**, *10*, 952006.
31. Pungle, R.; Nile, S. H.; Makwana, N.; Singh, R.; Singh, R. P., & Kharat, A. S., Green synthesis of silver nanoparticles using the *Tridax procumbens* plant extract and screening of its antimicrobial and anticancer activities., *Oxidative Medicine and Cellular Longevity.*, **2022**, *2022*(1), 9671594.
32. Oves, M.; Rauf, M. A.; Aslam, M.; Qari, H. A.; Sonbol, H.; Ahmad, I., & Saeed, M., Green synthesis of silver nanoparticles by *Conocarpus lancifolius* plant extract and their antimicrobial and anticancer activities., *Saudi Journal of Biological Sciences.*, **2022**, *29*(1), 460-471.
33. Chakravarty, A.; Ahmad, I.; Singh, P.; Sheikh, M. U. D.; Aalam, G.; Sagadevan, S., & Ikram, S., Green synthesis of silver nanoparticles using fruits extracts of *Syzygium cumini* and their bioactivity., *Chemical Physics Letters.*, **2022**, *795*, 139493.
34. Nawabjohn, M. S.; Sivaprakasam, P.; Anandasadagopan, S. K.; Begum, A. A., & Pandurangan, A. K., Green synthesis and characterization of silver nanoparticles using *Cassia tora* seed extract and investigation of antibacterial potential., *Applied Biochemistry and Biotechnology.*, **2022**, 1-15.
35. Wypij, M.; J drzejewski, T.; Trzci ska-Wencel, J.; Ostrowski, M.; Rai, M., & Goli ska, P., Green synthesized silver nanoparticles: antibacterial and anticancer activities, biocompatibility, and analysis of surface-attached proteins., *Frontiers in microbiology.*, **2021**, *12*, 632505.

36. Zhang, H.; Chen, S.; Jia, X.; Huang, Y.; Ji, R., & Zhao, L., Comparison of the phytotoxicity between chemically and green synthesized silver nanoparticles., *Science of the Total Environment.*, **2021**, 752, 142264.
37. Choi, J. S.; Jung, H. C.; Baek, Y. J.; Kim, B. Y.; Lee, M. W.; Kim, H. D., & Kim, S. W., Antibacterial activity of green-synthesized silver nanoparticles using Areca catechu extract against antibiotic-resistant bacteria., *Nanomaterials.*, **2021**, 11(1), 205.
38. Salayová, A.; Bedlovi ová, Z.; Daneu, N.; Baláž, M.; Luká ováBuj áková, Z.; Balážová,, & Tká iková., Green synthesis of silver nanoparticles with antibacterial activity using various medicinal plant extracts: Morphology and antibacterial efficacy., *Nanomaterials.*, **2021**, 11(4), 1005.
39. Arsène, M. M.; Podoprigora, I. V.; Davares, A. K.; Razan, M.; Das, M. S., & Senyagin, A. N., Antibacterial activity of grapefruit peel extracts and green-synthesized silver nanoparticles., *Veterinary World.*, **2021**, 14(5), 1330.
40. Chand, K.; Cao, D.; Fouad, D. E.; Shah, A. H.; Dayo, A. Q.; Zhu, K., & Dong, S., Green synthesis, characterization and photocatalytic application of silver nanoparticles synthesized by various plant extracts., *Arabian Journal of Chemistry.*, **2020**, 13(11), 8248-8261.
41. Kambale, E. K., & Nkanga, C. I., Mtonkole, B. P. I.; Bapolisi, A. M.; Tassa, D. O.; Liesse, J. M. I., & Memvanga, P. B., Green synthesis of antimicrobial silver nanoparticles using aqueous leaf extracts from three Congolese plant species (*Brillantaisiapatula*, *Crossopteryx febrifuga*, and *Sennasiamea*)., *Heliyon.*, **2020**, 6(8).
42. Tailor, G.; Yadav, B. L.; Chaudhary, J.; Joshi, M., & Suvalka, C., Green synthesis of silver nanoparticles using Ocimumcanum and their antibacterial activity., *Biochemistry and Biophysics Reports.*, **2020**, 24, 100848.
43. Kanniah, P.; Radhamani, J.; Chelliah, P.; Muthusamy, N., Joshua Jebasingh Sathiya Balasingh Thangapandi, E., ReetaThangapandi, J., & Shanmugam, R., Green synthesis of multifaceted silver nanoparticles using the flower extract of Aervalanata and evaluation of its biological and environmental applications., *Chemistry Select.*, **2020**, 5(7), 2322-2331.
44. Rajkumar, P.V.; Prakasam, A.; Rajeshkumar, S.; Gomathi, M.; Anbarasan, P. M.; & Chandrasekaran, R. Green synthesis of silver nanoparticles using Gymnemasylvestre leaf extract and evaluation of its antibacterial activity., *South African Journal of Chemical Engineering.*, **2020**, 32(1), 1-4.
45. Fardood, S. T.; Ramazani, A.; & Moradi, S. A novel green synthesis of nickel oxide nanoparticles using Arabic gum., *Chemistry Journal of Moldova.*, **2017**, 115-118.
46. Saratale, R. G.; Karuppusamy, I.; Saratale, G. D.; Pugazhendhi, A.; Kumar, G.; Park, Y., A comprehensive review of green nanomaterials using biological systems: Recent perception and future applications., *Colloids and Surfaces B: Biointerfaces.*, **2018**, 170, 20-35.
47. Chokkareddy, R.; Thondavada, N.; Kabane, B., & Redhi, G. G., Current advances in biosynthesis of silver nanoparticles and their applications. Green metal nanoparticles: synthesis., *characterization and their applications.*, **2018**, 165-198
48. Shankar, S. S.; Ahmad, A., & Sastry, M., Geranium leaf-assisted biosynthesis of silver nanoparticles., *Biotechnology progress.*, **2003**, 19(6), 1627-1631.
49. Tripathi, A.; Chandrasekaran, N.; Raichur, A. M., & Mukherjee, A. Antibacterial applications of silver nanoparticles synthesized by aqueous extract of Azadirachtaindica (Neem) leaves., *J. of Biomedical Nanotechnology.*, **2009**, 5(1), 93-98.
50. Chandran, S. P.; Chaudhary, M.; Pasricha, R.; Ahmad, A., Synthesis of gold nanotriangles and silver nanoparticles using Aloe vera plant extract., *Biotechnology progress.*, **2006**, 22(2), 577-583.
51. Patil, R. S.; Kokate, M. R., & Kolekar, S. S., Bioinspired synthesis of highly stabilized silver nanoparticles using Ocimumtenuiflorum leaf extract and their antibacterial activity. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy.*, **2012**, 91, 234-238.
52. Ankamwar, B.; Damle, C.; Ahmad, A.; & Sastry, M., Biosynthesis of gold and silver nanoparticles using Emblicaofficinalis fruit extract, their phase transfer and transmetallation in an organic solution., *Journal of nanoscience and nanotechnology.*, **2005**, 5(10), 1665-1671.

53. Anuj, S. A.; & Ishnava, K. B., Plant-mediated synthesis of silver nanoparticles by using dried stem powder of *Tinosporacordifolia*, its antibacterial activity, and comparison with antibiotics., **2013**.
54. Roopan, S. M.; Madhumitha, G.; Rahuman, A. A.; Kamaraj, C.; Bharathi, A., & Surendra, T. V., Low-cost and eco-friendly phyto-synthesis of silver nanoparticles using *Cocosnucifera* coir extract and its larvicidal activity., *Industrial Crops and Products*., **2013**, *43*, 631-635.
55. Shukla, V. K.; Singh, R. P., & Pandey, A. C., Black pepper-assisted biomimetic synthesis of silver nanoparticles., *Journal of Alloys and Compounds*., **2010**, *507*(1), L13-L16.
56. Srikar, S. K.; Giri, D. D.; Pal, D. B.; Mishra, P. K., & Upadhyay, S. N., Green synthesis of silver nanoparticles: A Review. *Green and Sustainable Chemistry*., **2016**, *6*(01), 34.
57. Prathibha, B. S.; Harshitha, N.; Neha, D. R.; Pranathi, C. N.; Kumar, D. V., & Lakshmi, G. C., Green synthesis of silver nanoparticles using *Ocimumtenuiflorum* and *Azadirachta indica* leaf extracts and their antibacterial activity., *In Journal of Physics: Conference Series*., **2024**, *2748*(1), 012015). IOP Publishing.
58. Alzohairy, M. A., Therapeutic role of *Azadirachta indica* (Neem) and their active constituents in disease prevention and treatment., *Evidence Based Complementary and Alternative Medicine*., **2016**, *2016*(1), 7382506.
59. Vanlalveni, C.; Lallianrawna, S.; Biswas, A.; Selvaraj, M.; Changmai, B.; & Rokhum, S. L., Green synthesis of silver nanoparticles using plant extracts and their antimicrobial activities: A review of recent literature., *RSC advances*., **2021**, *11*(5), 2804-2837.
60. Choi, J. S.; Jung, H. C.; Baek, Y. J.; Kim, B. Y.; Lee, M. W.; Kim, H. D., & Kim, S. W., Antibacterial activity of green-synthesized silver nanoparticles using *Areca catechu* extract against antibiotic-resistant bacteria., *Nanomaterials*., **2021**, *11*(1), 205.
61. Streeter, K., & Katouli, M., *Pseudomonas aeruginosa*: a review of their pathogenesis and prevalence in clinical settings and the environment., **2016**.
62. A Vanlalveni, C.; Lallianrawna, S.; Biswas, A.; Selvaraj, M.; Changmai, B., & Rokhum, S. L., Green synthesis of silver nanoparticles using plant extracts and their antimicrobial activities: A review of recent literature., *RSC advances*., **2021**, *11*(5), 2804-2837.
63. Rautela, A., & Rani, J., Green synthesis of silver nanoparticles from *Tectonagrandis* seed extract: characterization and mechanism of antimicrobial action on different microorganisms., *Journal of Analytical Science and Technology*., **2019**, *10*(1), 1-10.
64. Sethuram, L., & Thomas, J., Synthesis, fabrication, and biosafety profiles of bio-based microemulsion-reinforced electrospun nanofibers for wound dressing applications., *Nano-Structures & Nano-Objects*., **2023**, *33*, 100940.
65. Shaik, M. R.; Khan, M.; Kuniyil, M.; Alkhatlan, H. Z., & Adil, S. F., Plant-extract-assisted green synthesis of silver nanoparticles using *Origanum vulgare* L. extract and their microbicidal activities., *Sustainability*., **2018**, *10*(4), 913.
66. Alzohairy, M. A., Therapeutic role of *Azadirachta indica* (Neem) and their active constituents in disease prevention and treatment., *Evidence Based Complementary and Alternative Medicine*., **2016**, *2016*(1), 7382506.
67. Zhang, X. F.; Liu, Z. G.; Shen, W., & Gurunathan, S., Silver nanoparticles: synthesis, characterization, properties, applications, and therapeutic approaches., *International Journal of Molecular Sciences*., **2016**, *17*(9), 1534.
68. Simon, S.; Sibuyi, N. R. S.; Fadaka, A. O.; Meyer, S.; Josephs, J., & Onani, M. O., Biomedical applications of plant extract-synthesized nanoparticles., *Biomedicine*., **2022**, *10*(11), 2792.
69. Verma, A. D.; Jain, N.; Singha, S. K.; Quraishi, M. A., & Sinha, I., Green synthesis and catalytic application of curcumin-stabilized Ag nanoparticles., *Journal of Chemical Sciences*., **2016**, *128*, 1871-1878.
70. Vorobyova, V.; Vasyliov, G.; Uschapovskiy, D.; Lyudmyla, K., & Skiba, M., Green synthesis, characterization of silver nanoparticles for biomedical applications and environmental remediation., *Journal of Microbiological Methods*., **2022**, *193*, 106384.
71. Verghese, P. S., and Gurg, M., Investigation of toxic heavy metals in the drinking water of Agra city., *India. Orient. J. Chem.*, **2015**, *31*(3), 1835.

72. Hebeish, A.; El-Naggar, M. E.; Fouda, M. M.; Ramadan, M. A.; Al-Deyab, S. S., & El-Rafie, M. H., Highly effective antibacterial textiles containing green-synthesized Ag silver nanoparticles., *Carbohydrate polymers.*, **2011**, *86*(2), 936-94.
73. Daneeh M D.; Habil M, and Kumar S Ram. "Innovative approaches in nanomaterials for efficient heavy metal removal from wastewater: A Scientific Review.". *Journal of environmental nanotechnology: Journal of Environmental Nanotechnology.*, **2024**, *13*(4) 518-526.
74. Singh, M., & Verghese, S., Conventional and innovative techniques for the removal of heavy metals from electroplating industry wastewater., *Int J Eng Sci Res Technol.*, **2016**, *5*(10), 150-159.
75. Verghese, S. P., Studies on sodium diethyl dithiocarbamate for the removal of heavy metals from electroplating industry wastewater and the use of its precipitate as a disease management system for plants., *International Journal of Current Research in Chemistry and Pharmaceutical Sciences.*, **2016**, *3*(2), 1-9.
76. Bansal, A.; Verghese, S. P., & Singh, R., Green synthesis of Au nanoparticles using *Allium cepa L.* (onion) and evaluation of their biological activities., *International Journal of Engineering Sciences & Research Technology.*, **2025**, *14*(1), 34–44.
77. Singh, R., & Verghese, S. P., Biosynthesis of selenium nanoparticles (SeNPs) via *Curcuma longa* extracts and their medicinal applications. In *Greening the future: Nanotechnology, environment, and education for sustainable development.*, *Saar Books.*, **2025**, 16–34.